

Centre.....Assessor.....Date.....

Patient name.....Patient code.....PVAS 2008 Study

PAEDIATRIC VASCULITIS ACTIVITY SCORE 2008

Tick "Active" box **only** if abnormality due to active vasculitis is newly present or worse over the last 4 weeks or persists for less than 3 months. After that, if ALL items are persistent and represent smouldering/low grade/grumbling disease, and there are no new/worse features, please tick the box at the bottom right corner. At the very first assessment all active items are considered as active/worse. If there are no abnormalities in a system, please tick the "None" box. For items present longer than 3 months refer to the Vasculitis Damage Index to score damage.

	None	Active		None	Active
1. General	<input type="radio"/>		6. Cardiovascular	<input type="radio"/>	
Myalgia		<input type="radio"/>	Loss of pulses		<input type="radio"/>
Arthralgia or arthritis		<input type="radio"/>	Bruits over accessible arteries		<input type="radio"/>
Fever $\geq 38.0^{\circ}\text{C}$		<input type="radio"/>	Blood pressure discrepancy		<input type="radio"/>
Weight Loss $\geq 5\%$ body weight		<input type="radio"/>	Claudication of extremities		<input type="radio"/>
			Ischaemic cardiac pain		<input type="radio"/>
2. Cutaneous	<input type="radio"/>		Cardiomyopathy		<input type="radio"/>
Polymorphous exanthema		<input type="radio"/>	Congestive cardiac failure		<input type="radio"/>
Livedo		<input type="radio"/>	Valvular heart disease		<input type="radio"/>
Panniculitis		<input type="radio"/>	Pericarditis		<input type="radio"/>
Purpura		<input type="radio"/>	7. Abdominal	<input type="radio"/>	
Skin nodules		<input type="radio"/>	Abdominal pain		<input type="radio"/>
Infarct (nail edge lesion, splinter haemorrhage)		<input type="radio"/>	Peritonitis		<input type="radio"/>
Ulcer (full-thickness necrosis)		<input type="radio"/>	Blood in stools or bloody diarrhoea		<input type="radio"/>
Gangrene (extensive necrosis)		<input type="radio"/>	Bowel ischaemia		<input type="radio"/>
Other skin vasculitis (specify below)		<input type="radio"/>			
3. Mucous membranes/eyes	<input type="radio"/>		8. Renal	<input type="radio"/>	
Mouth ulcers/granulomata		<input type="radio"/>	Hypertension >95th centile (for height)		<input type="radio"/>
Genital ulcers		<input type="radio"/>	Proteinuria >0.3 g/24h,>20mmol/mg creatinin		<input type="radio"/>
Adnexal inflammation		<input type="radio"/>	Haematuria $\geq 2+$ or 5 rbc/hpf or red cell casts		<input type="radio"/>
Significant proptosis		<input type="radio"/>	GFR 50-80ml/min/1.73 m ²		<input type="radio"/>
Red eye (Epi)scleritis		<input type="radio"/>	GFR 15-49 ml/min/1.73 m ²		<input type="radio"/>
Red eye conjunctivitis/ blepharitis/keratitis		<input type="radio"/>	GFR <15 ml/min/1.73m ²		<input type="radio"/>
Uveitis		<input type="radio"/>	Rise in creatinine > 10% or		
Blurred vision		<input type="radio"/>	Creatinine clearance (GFR) fall > 25%		<input type="radio"/>
Sudden visual loss		<input type="radio"/>	9. Nervous system	<input type="radio"/>	
Retinal vasculitis/retinal vessel thrombosis/ retinal exudates/haemorrhages		<input type="radio"/>	Headache		<input type="radio"/>
			Meningitis/encephalitis		<input type="radio"/>
4. ENT	<input type="radio"/>		Organic confusion/cognitive dysfunction		<input type="radio"/>
Nasal discharge/crusts/ulcers/granuloma		<input type="radio"/>	Seizures (not hypertensive)		<input type="radio"/>
Paranasal sinus involvement		<input type="radio"/>	Stroke		<input type="radio"/>
Subglottic stenosis/ hoarseness /stridor		<input type="radio"/>	Cord lesion		<input type="radio"/>
Conductive hearing loss		<input type="radio"/>	Cranial nerve palsy		<input type="radio"/>
Sensorineural hearing loss		<input type="radio"/>	Sensory peripheral neuropathy		<input type="radio"/>
			Motor mononeuritis multiplex		<input type="radio"/>
5. Chest	<input type="radio"/>		10. OTHER	<input type="radio"/>	
Wheeze or expiratory dyspnea		<input type="radio"/>			<input type="radio"/>
Endobronchial/endotracheal involvement		<input type="radio"/>			<input type="radio"/>
Nodules or cavities		<input type="radio"/>			
Pleural effusion/pleurisy		<input type="radio"/>	NO NEW/WORSE DISEASE :		
Infiltrate		<input type="radio"/>	Tick here if there is no new/worse abnormality present in ANY of the systems above and active items represent low grade grumbling disease		
Massive haemoptysis/Alveolar haemorrhage		<input type="radio"/>			
Respiratory failure		<input type="radio"/>			